



PRODUCT INFORMATION

CADAOIL HYRDAUBRAKE DOT4

Brake fluid for hydraulic drum brake and disc brake systems.

Cadaoil Hyrdaubrake Dot4 is a high performance product, especially developed for hydraulic brake systems of passenger cars, commercial vehicles, mopeds, scooters, forklift trucks and motorcycles in both drum brake and disc brake systems (with and without ABS/ASR).

Cadaoil Hyrdaubrake Dot4 provides maximum protection against rust and offers an optimum acceptance and transfer of heat.

The product will not affect seals, metals or alloys. Due to the lubricity of this brake fluid, wear is reduced to a minimum.

Cadaoil Hyrdaubrake Dot4 is stable and will not cause any deposits. Due to the low viscosity at low temperatures, the product guarantees excellent performance under cold climate conditions.

Cadaoil Hyrdaubrake Dot4 has a high 'wet boiling point' which prevents vapour lock at intensive braking. As a result, the safety and reliability of the brake system is increased substantially. However, it is very important to check and/or change brake fluids regularly. Due to the hygroscopic nature, all brake fluids will absorb moisture after some time, resulting in a lower wet boiling point and quality loss.

Cadaoil Hyrdaubrake Dot4 should absolutely not be applied in brake systems with a mineral based fluid (LHM, mostly green coloured) or in systems with a silicone based brake fluid (purple colour, indicated as DOT 5).

Please keep in mind:

Brake fluid will attack car paints. When spilled, rinse off with water immediately. Store in well closed packaging and avoid contamination with water or lubricants. "

PERFORMANCE

FMVSS 116 DOT4
ISO 4925 class 4
SAE J1704

Density at 20°C	1,035 kg/l
Viscosity, kinematic at 100°C	2,2 cSt
Viscosity, kinematic at 40°C	7,8 cSt
Flash point	120 °C
Freezing point	-36 °C

This sheet contains recommendations or suggestions on properties and possible applications of Cadaoil products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical information in this document consists of typical incorrectness of the text. The reader is advised to make the final product choice in dialogue with the supplier.